

**DYNAMIC MAPPING OF TEXTURE MAPS ONTO  
THREE DIMENSIONAL OBJECTS**

5

INVENTORS: Ren EGAWA  
Michael R. HARRIS

10 BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention generally relates to the field of computer graphics and,  
15 more specifically, to the field of texture mapping.

2. Description of Related Art

The video game market has enjoyed increasing success in recent years. In  
20 the year 2000, the video game market exceeded \$15 billion in sales and sold over  
191 million units. One aspect of the video game market that has started growing is  
advertising. Video game makers provide outlets for advertising in three-dimensional  
graphical display objects (3D objects) visible during game play. For example, in a

soccer video game, the side panels on the soccer field many times include advertising logos and in a basketball video game, the player's shirts can contain ads. Advertising in a video game is beneficial because the advertisement does not break the continuity of the video game and the advertisement remains on the display for a longer period of time than a commercial. In addition, there is no loss of "eyeball" attention as game players concentrate on the display during play. Video games provide competitive and effective opportunities for advertisers.

Current techniques for allowing advertising in video games, however, do not come without their drawbacks. Often, 3D objects and the corresponding advertisements (stored as texture maps) are treated as one object. This renders the 3D object inextricable from the texture map. As a result, once a 3D object is associated with a texture map, the 3D object is stuck with that texture map for the life of the video game. This can make the video game seem monotonous and static after many plays. In addition, once the texture maps for a video game have been coded into the video game, the texture maps typically cannot be changed or renewed. This can also make the video game seem stale after many plays. In addition, current video game advertising techniques do not allow for targeted advertising to occur during game play. This is also leads to the eventual lack of variety in the video game.

Accordingly, there exists a need for a technique that effectively allows dynamic association of texture maps with 3D objects in a video game.

**SUMMARY OF THE INVENTION**

A method, system and computer readable medium for providing targeted advertising during execution of an application is described. In an embodiment of the present invention, a server system assembles an application including 3D objects and advertising texture maps directed towards a demographic. The application is then provided for download over a network to a client system, which belongs to the demographic. The client system then executes the application, which maps the texture maps onto the 3D objects during execution. The client system displays the 3D objects during execution of the application.

In another embodiment of the present invention, the server system periodically provides advertising texture maps to the client system during execution of the application. The client system then maps the received texture maps onto the 3D objects during execution of the application.

In yet another embodiment of the present invention, during execution of the application, the application gathers information regarding the demographic of the client system and selects texture maps directed towards the demographic. The selected texture maps are then mapped onto the 3D objects during execution of the application.

Other objects, features, and advantages of the present invention will become apparent from the following detailed description. It should be understood, however, that the detailed description and specific examples, while indicating preferred embodiments of the present invention, are given by way of illustration only and

various modifications may naturally be performed without deviating from the present invention.

## BRIEF DESCRIPTION OF THE DRAWINGS

5

The features and advantages of the present invention will become more apparent from the detailed description set forth below when taken in conjunction with the drawings in which like reference numbers indicate identical or functionally similar elements.

10        FIG. 1 is a block diagram illustrating the overall system architecture of an embodiment of the present invention.

FIG. 2 is a block diagram illustrating the texture mapping operation, in an embodiment of the present invention.

15        FIG. 3 is a block diagram illustrating one example of the texture mapping operation, in an embodiment of the present invention.

FIG. 4 is a flowchart depicting the overall operation and control flow of the server side of one embodiment of the present invention.

FIG. 5 is a flowchart depicting the operation and control flow of the client side of one embodiment of the present invention.

20        FIG. 6 is a block diagram illustrating a set-top box performing the operations of an embodiment of the present invention.

FIG. 7 is a block diagram of an exemplary computer system useful for implementing the present invention.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

1. Overview of the System

5           The present invention is described in terms of the exemplary embodiments below. This is for convenience only and is not intended to limit the application of the present invention. In fact, after reading the following description, it will be apparent to one of ordinary skill in the relevant art(s) how to implement the present invention in alternative embodiments.

10           FIG. 1 is a block diagram illustrating the overall system architecture of an embodiment of the present invention. FIG. 1 is a generalized embodiment of the present invention illustrating the Application Service Provider (ASP) model of the present invention. This model represents a method by which an entity (the ASP) separate from a client provides a service to the client in exchange for a fee. The  
15           system 100 includes a client 102, a client application 104, a network 108 and an ASP 106. Client 102 is a person that is using a device such as a computer to access the services of ASP 106 via network 108.

            In one embodiment of the present invention, network 108 is a circuit-switched network such as a Public Switched Telephone Network (PSTN), which is also known  
20           as the Plain Old Telephone System (POTS). In another embodiment of the present invention, network 108 is a packet-switched wide area network (WAN) such as the global Internet. Network 108 is a private WAN, a local area network (LAN), a

telecommunications network or any combination of the above-mentioned networks.  
Network 106 is wired, wireless, broadcast or point-to-point.

In the event that network 108 is a PSTN, the device used by client 102 to access network 108 is a telephone-capable device for sending and receiving audio  
5 signals. In an embodiment of the present invention, the device is an ordinary telephone or a mobile/cell phone. In another embodiment of the present invention, the device is a personal computer (PC) (e.g., an IBM or compatible PC workstation running the Microsoft Windows 95/98/2000/NT/ME/CE/XP operating system, Macintosh computer running the Mac OS operating system, or the like), a Personal  
10 Digital Assistant (PDA) (e.g., a PalmPilot running the Palm OS operating system), a game console (e.g., a Sony Playstation 2 console or a Microsoft Xbox console) or interactive television. In the event that network 108 is a packet-switched network such as the Internet, the device is a network-capable device for sending and receiving audio signals. In this case, the device is a PC, a PDA, a game console,  
15 interactive television or any other network-capable processing device able to communicate via the network 108.

Application 104 encompasses the substantive operations of the present invention. Application 104 is implemented in hardware, software or any combination of the two. Application 104 is preferably a computer readable medium, e.g.,  
20 software, that is executed using the device of client 102 as described above. Application 104 is any commercially available end-user application such as a video game, a personal finance application, a word processing application, a spreadsheet

application a graphical design application or a 3D art utility application. Preferably, application 104 is a video game.

ASP 106 is an entity that provides services to client 102. Specifically, ASP 106 provides application 104 and/or texture maps to client 102 via network 108. The services provided to client 102 by ASP 106 are described in greater detail below. ASP 106 is a web site, a web page, an FTP site, a gopher site, a dial up facility, or a dial up database capable of providing the required services to client 102. ASP 106 is implemented in hardware, software or any combination of the two.

In one embodiment of the present invention, ASP 106 is one or more SUN Ultra workstations running the SunOS operating system. In another embodiment of the present invention, ASP 106 is one or more IBM or compatible PC workstations with Intel Pentium III processors running either the Windows NT/2000 operating system or the BSD Unix operating system. ASP 106 is connected to network 108, which serves as the communications medium between ASP 108 and its clients (e.g., client 102). While only one client 102 and only one application 104 are shown in FIG. 1 for ease of explanation, the system 100 may support any number of clients 102 and applications 104.

In some embodiments of the present invention, there is no network 108. This scenario represents the non-network model of the present invention. In such embodiments, the device of client 102 interacts directly with ASP 106 without traversing a network.

More detailed descriptions of system 100 components, as well as their functionality and inter-functionality with other system 100 components, are provided

below. The operation of the system of FIG. 1 according to one embodiment of the present invention is shown in the flowchart of FIG. 4.

## 2. Texture Mapping

5

FIG. 2 is a block diagram 200 illustrating the texture mapping operation, in an embodiment of the present invention. FIG. 2 shows the texture mapping operation as it is performed by application 104 during execution. Diagram 200 shows a texture map database 204 for storing texture maps, a 3D object database 206 for storing 3D  
10 objects, a bitmap multiplexer 202 for performing the texture mapping operation and the resulting 3D objects 208.

As is commonly known in the computer graphics art, three-dimensional graphical display objects (3D objects) are used to represent real-life objects in computer applications such as video games. 3D objects are simple objects such as  
15 cubes or spheres but also more complex objects such as a toroid or a human face. A texture map is typically a two-dimensional picture or pattern that is mapped onto the surface of a 3D object. A texture map is represented by a bitmap or other picture file formats such as JPEG, GIF or TIFF. In order to add to the realism or aesthetic of a 3D object, texture maps are often mapped onto the 3D object. This  
20 process is called "texture mapping," "mapping," or "applying."

Various methods of texture mapping are used. Such methods include planar projection, box projection, cylindrical projection, spherical projection and shrink projection. One example of a texture map that is mapped onto a 3D object is a two-



dimensional map of the Earth that is texture mapped onto a sphere using a cylindrical projection. This results in a globe representing the Earth. Another example is a photo of a person's face that is texture mapped onto a 3D representation of a human face using planar projection. This results in an avatar  
5 representing the person.

Diagram 200 shows how application 104, preferably a video game, maps a texture map onto a 3D object. Diagram 200 shows that the bitmap multiplexer 202 selects a 3D object from 3D object database 206, selects a texture map from texture map database 204 and maps the selected texture map onto the selected 3D object.

10 The resulting object is the processed object 208. The bitmap multiplexer 202 selects a 3D object from 3D object database 206 as it arises in the normal course of execution of the application. In the example of a video game application, as certain 3D objects are encountered during the execution of the video game and these 3D objects must be displayed, the appropriate 3D objects are selected from the 3D  
15 object database 206 for processing before being displayed. The bitmap multiplexer 202 selects a texture map from texture map database 206 as 3D objects are selected for display. When a 3D object is selected for display, the texture map corresponding to the 3D object is selected for mapping onto the 3D object.

Bitmap multiplexer 202 determines which texture map corresponds to each  
20 3D object is a variety of ways. In one embodiment of the present invention, the bitmap multiplexer 202 uses a list that defines a predefined texture map for each 3D object. In another embodiment of the present invention, bitmap multiplexer 202 uses an algorithm that defines the correspondence between texture maps and 3D objects.

In yet another embodiment of the present invention, bitmap multiplexer 202 determines which texture map corresponds to each 3D object using any routine that is deemed appropriate by one of ordinary skill in the art.

The correspondence between texture maps and 3D objects is defined at any  
5 of several points in time. In one embodiment of the present invention, the correspondence is defined before client 102 acquires application 104. In this case, the correspondence is defined by ASP 106 or any other entity from which client 102 acquired application 104. In another embodiment of the present invention, client 102 defines the correspondence during execution of application 104. In this case, the  
10 correspondence is defined during execution according to an algorithm or a running routine. This function of the present invention is described in greater detail below.

FIG. 3 is a block diagram 300 illustrating one example of the texture mapping operation, in an embodiment of the present invention. Diagram 300 shows one instance of the texture mapping operation as it is performed by application 104  
15 during execution. Diagram 300 shows a texture map 302, a 3D object 304, the bitmap multiplexer 202 and the processed object 306.

Diagram 300 shows the texture mapping operation as it occurs during execution of application 104 - a race-driving video game in this example. As the scenes in the video game change, application 104 selects the appropriate 3D object  
20 for display. In this case, the driver encounters a billboard - 3D object 304. Subsequently, bitmap multiplexer 202 selects 3D object 304 for display. Then, bitmap multiplexer 202 proceeds to use a list that defines which texture map corresponds to 3D object 304. Bitmap multiplexer 202 determines that texture map

302 corresponds to 3D object 304 and proceeds to selects texture map 304. Lastly, bitmap multiplexer 202 maps texture map 302 onto 3D object 304 resulting in processed object 306.

Diagram 300 shows 3D object 304 as a billboard. In an embodiment of the present invention, 3D object 304 is a playing field, playing field side panel, a wall, a player's shirt, a player's helmet, a player's vehicle, a player's weapon or a building. Diagram 300 also shows texture map 302 as a logo representing an advertiser. In an embodiment of the present invention, texture map 302 is text representing an advertiser, an image of a person representing an advertiser or any other image representing an advertiser.

### 3. General Operation of the System

FIG. 4 is a flowchart depicting the overall operation and control flow 400 of the server side of one embodiment of the present invention. Flow 400 describes the functions performed by ASP 106 in the present invention (See FIG. 1). As described above, ASP 106 is a web site, FTP site or other location for providing a service to client 102. In an example, ASP 106 is a web site that provides video games for download by client. Control flow 400 begins with step 402 and flows directly to step 404.

In step 404, ASP 106 receives a request for application 104 from client 102. The request is a Hyper Text Transfer Protocol (HTTP) request, an FTP request or any other request adhering to a protocol for exchanging information. ASP 106

subsequently prepares to address the request. In the ongoing example, ASP 106 receives, via an Internet connection, an HTTP request for download of a race-driving video game.

In step 406, ASP 106 selects the texture maps that will be associated with application 104. Referring to FIG. 2, ASP 106 populates texture map database 204. ASP 106 determines which texture maps to enter into texture map database 204 using techniques such as targeted advertising. The techniques used by ASP 106 in this manner are described in greater detail below. In an alternative to populating texture map database 204, ASP 106 modifies the method by which bitmap multiplexer 202 determines the correspondence between texture maps and 3D objects. Thus, in this alternative, ASP 106 modifies the list, the algorithm or the routine used by bitmap multiplexer 202 to determine the correspondence between texture maps and 3D objects. ASP 106 uses techniques such as targeted advertising techniques to modify the correspondence between texture maps and 3D objects. The techniques used by ASP 106 in this manner are described in greater detail below.

In the ongoing example, ASP 106 selects a set of bitmaps for population of texture map database 204, which comprises the race-driving video game desired for download by client 102. The selected set of bitmaps are advertisements for products that are targeted toward the demographic of the client 102. ASP 106 determines the demographic of the client 102 from information such as the client's location (zip code, street address, IP address), age, income, etc. The bitmaps are logos and text representing advertisers and are intended for mapping onto 3D

**EXPRESS MAIL LABEL NO. EL863782844US**

objects such as billboards, walls and the bodies of cars in the video game. The manner in which ASP 106 determines the demographic of client 102 and selects bitmaps targeted toward the demographic of client 102 is described in greater detail below.

5           In step 408, ASP 106 provides the application 104 to client 102. In an embodiment of the present invention, ASP 106 posts the application 104 on a web site, FTP site or other location accessible for download to client 102. In step 410, client 102 downloads application 104 from ASP 106. In the ongoing example, ASP 106 posts the desired race driving video game to a web page and client 102  
10       downloads the video game, via an Internet connection, using a standard web browser download utility.

          In step 412, ASP 106 periodically provides updated texture maps to client 102. The period is one month, one week, one day or one hour. In an embodiment of the present invention, ASP 106 posts the application 104 on a web site, FTP site  
15       or other location accessible for download to client 102. In the ongoing example, ASP 106 periodically posts onto a web site a new set of bitmaps. The updated bitmaps reflect new advertisers or new images targeted toward the demographic of client 102.

          In step 414, client 102 downloads the updated texture maps from ASP 106.  
20       Client 102 later uses the updated texture maps for mapping onto 3D objects. In the ongoing example, client 102 downloads the updated bitmaps via the Internet and uses the bitmaps for mapping onto 3D objects such as the bodies of cars. Control

flows back to step 412. In this way, texture maps are periodically provided to client 102 and client 102 periodically downloads them.

Control flow 400 is given only by way of example. The sequence of steps is exemplary and is not necessary for proper operation of the present invention. The steps of control flow can be rearranged to perform the same function. For example, in one embodiment of the present invention, step 406 occurs after step 404. In an embodiment of the present invention, steps 404 to 410 are optional. In this embodiment, client 102 is already in possession of application 104 and simply receives updates to the texture maps (in steps 412 to 414).

One advantage of control flow 400 is the quick and easy selection of texture maps in step 406 by ASP 106. Texture maps are selected and entered into texture map database 204 in a short period of time. Texture map database is a database file, a dynamic linked list, a list of files, a directory of files or any other collection of data that is amendable to quick insertion of a record. This allows ASP 106 to rapidly insert into application 104 texture maps that are targeted towards client 102. Another advantage of control flow 400 is the ability by ASP 106 to update texture maps in step 412. This allows ASP 106 to quickly provide updates of advertiser bitmaps to client 102 by simply sending the bitmaps to client 102 instead of entire applications or executable files. This also provides an application 104 that appears to be dynamic and new to client 102.

FIG. 5 is a flowchart depicting the overall operation and control flow 500 of the client side of one embodiment of the present invention. Flow 500 describes the functions performed by client 102 and application 104 (see FIG. 1) in the present

invention. As described above, client 102 is a person using a device such as a computer for executing application 104. In an example, client 102 is a person using a PC to download and play a race-driving video game. Control flow 500 begins with step 502 and flows directly to step 504.

5           In step 503, client 102 downloads application 104. This step is analogous to step 410 of control flow 400 above. In an embodiment of the present invention, client 102 downloads the application 104 from a web site, FTP site or other location accessible for download to client 102. In the ongoing example, client 102  
10           downloads, via an Internet connection, a race-driving video game from a video game web site using a standard web browser download utility. In step 504, client 102 executes application 104. In the ongoing example, client 102 starts the race-driving video game.

          In step 506, application 104 maps onto each 3D object the corresponding texture map. Texture maps and 3D objects are provided with application 104 in  
15           texture map database 204 and 3D object database 206, respectively. In the ongoing example, as 3D objects such as cars and billboards are encountered in the race-driving video game, the appropriate 3D objects and the corresponding bitmaps are retrieved from the 3D object database 206 and the texture map database 204, respectively. Subsequently, the race-driving video game maps onto each 3D object  
20           the corresponding bitmap. The bitmaps in texture map database 204 are logos, text or human faces representing advertisers.

          In step 508, application 104 downloads updated texture maps for entry into texture map database 204. This step is analogous to step 414 of control flow 400

above. In the ongoing example, the race-driving video game downloads via an Internet connection updated bitmaps. The updated bitmaps are posted to a web site for download by the race-driving video game. The updated bitmaps reflect new advertisers or new images targeted toward the demographic of client 102. In an embodiment of the present invention, steps 510 and 512 are optional. That is, in this embodiment, application 104 does not perform any targeted advertising techniques. In this embodiment, control flows directly from step 508 back to step 506. In this way, texture maps are periodically downloaded by application 104 and used for mapping onto 3D objects.

In step 510, application 104 gathers information regarding the demographic of client 102. The manner in which application 104 gathers demographic information regarding client 102 is described in greater detail below. In the ongoing example, the race-driving video game collects information such as the cars chosen by the user in the race-driving game, the average play session time of the user and the total play time of the user. For example, the race-driving video game gathers that the user often chooses a Ford model truck in the video game.

In step 512, application 104 uses targeted advertising techniques to determine which texture maps to use during execution. In this step, application 104 uses the demographic information pertaining to client 102 to determine which texture maps to target towards client 102. The manner in which application 104 determines which texture maps to target towards client 102 is described in greater detail below. In the ongoing example, the race-driving video game uses the fact that the user often chooses a Ford model truck in the video game to target Ford advertisements



toward the user. Control flows back to step 506 after this step. In this way, texture maps are periodically downloaded by application 104 and used for mapping onto 3D objects.

Control flow 500 is given only by way of example. The sequence of steps is  
5 exemplary and is not necessary for proper operation of the present invention. The steps of control flow can be rearranged to perform the same function. In an embodiment of the present invention, step 508 is optional. In this embodiment, application 104 does not periodically download updated texture maps from ASP 106.

One advantage of control flow 500 is the customization of application 104 that  
10 results from the gathering of demographic information from client 102. As application 104 targets advertising texture maps to client 102 based on demographic information, client 102 is provided with advertising that is directed towards his likes and spending habits. This provides an application 104 that is user-friendly and free of irrelevant advertising.

15

#### 4. Targeted Advertising

In an embodiment of the present invention, targeted advertising is performed  
by ASP 106, application 104 or any combination of the two. Targeted advertising  
20 involves directing advertising towards certain groups of people. Typically, targeted advertising techniques involve the gathering of personal or demographic information to determine which groups of people should receive certain advertising. For the purposes of targeted advertising, demographic information is any information

pertaining to the spending habits of a person or a group of people. Examples of demographic information are: location, income, nationality, age, sex, occupation, marital status, home ownership/rental status, type of car owned, type of computer owned, web sites visited, past spending habits and hobbies.

5           One example of using demographic information to target advertising is the targeting of luxury car ads towards people who have a large amount of disposable income. Another example of using demographic information to target advertising is the targeting of local business ads towards people living in that locality. Yet another example of using demographic information to target advertising is to target ads for  
10 children's toys towards children in relevant age groups.

Personal or demographic information, for use in targeted advertising, is gathered in a variety of ways in the present invention. In one embodiment of the present invention, demographic information is gathered by ASP 106 in step 404 of control flow 400 (when client 102 requests application 104 for download).  
15 Demographic information is gathered from client 102 at this juncture by prompting the client 102 for the desired information. For example, ASP 106 asks client 102 fill out an online form before client 102 proceeds to download application 104. Alternatively, ASP 106 receives desired information from client 102 in a cookie or in a Microsoft Wallet transaction.

20           In another embodiment of the present invention, demographic information is gathered by application 104 in step 510 of control flow 500. Demographic information is gathered from client 102 at this juncture by prompting the client 102 for the desired information. For example, application 104 asks client 102 fill out a

form before client 102 proceeds to execute application 104. Alternatively, application 104 gathers desired information from client 102 by reading certain files or directories on the computer of client 102 such as a Microsoft Wallet file, a cookie file, a web browser cache directory or a web browser history file. In another alternative, application 104 gathers desired information from client 102 in the course of execution of application 104. For example, application 104 collects information such as the objects chosen by the user during execution of the application 104, the average session time of the user on the application 104 and the total session time of the user on the application 104.

10 In one embodiment of the present invention, targeted advertising techniques are used by ASP 106 in step 406 of control flow 400 (i.e., when selecting the texture maps for entry into texture map database 204 or when defining the correspondence between 3D objects and texture maps). Based on demographic information gathered from client 102, ASP 106 determines which texture maps will be viewed by the user during execution of the application 104. In another embodiment of the present invention, targeted advertising techniques are used by application 104 in step 512 of control flow 500 (i.e., when defining the correspondence between 3D objects and texture maps). Based on demographic information gathered from client 102, application 104 determines which texture maps will be viewed by the user during execution of the application 104.

5. Set-Top Box

FIG. 6 is a block diagram 600 illustrating a set-top box performing the operations of an embodiment of the present invention. Diagram 600 is an exemplary embodiment of client 102 and application 104, as shown in system 100. Diagram 600 shows ASP 106, a set-top box 602 and a display 602. ASP 106 in diagram 600 performs all of the functions described for ASP 106 above. Set-top box 602 performs all of the functions described for client 102 and application 104 above. Thus, set-top box 602 preferably comprises a computer system 700 as described in FIG. 7. Display 604 is a standard display unit such as a computer CRT.

Set-top box 602 is connected to ASP 106 via a circuit switched network such as the PSTN or a packet switched network such as a private LAN or a public WAN. Set-top box 602 receives application 104 and updated bitmaps from ASP 106 via the connection to ASP 106. The received data is then used to execute application 104. During execution of application 104, information, such as images from a video game, are displayed on display 604. Display information is transmitted to display 604 from set-top box 602 via the connection to display 604.

6. Exemplary Implementations

The present invention (i.e., system 100, block diagrams 200, 300, 600, flows 400, 500 or any part thereof) is implemented using hardware, software or a combination thereof and is implemented in one or more computer systems or other

processing systems. An example of a computer system 700 is shown in FIG. 7. The computer system 700 represents any single or multi-processor computer. In conjunction, single-threaded and multi-threaded applications are used. Unified or distributed memory systems are used.

5 In one example, the present invention is implemented in a multi-platform (platform independent) programming language such as Java, programming language/structured query language (PL/SQL), hyper-text mark-up language (HTML), practical extraction report language (PERL), Flash programming language, common gateway interface/structured query language (CGI/SQL) or the like. Java-  
10 enabled and JavaScript-enabled browsers are used, such as, Netscape, HotJava, and Microsoft Explorer browsers. Active content web pages can be used. Such active content web pages include Java applets or ActiveX controls, or any other active content technology developed now or in the future. The present invention, however, is not intended to be limited to Java, JavaScript, or their enabled browsers,  
15 and are implemented in any programming language and browser, developed now or in the future, as would be apparent to a person skilled in the relevant art(s) given this description.

In another example, the present invention is implemented using a high-level programming language (e.g., C++) and applications written for the Microsoft  
20 Windows NT or SUN OS environments. It will be apparent to persons skilled in the relevant art(s) how to implement the invention in alternative embodiments from the teachings herein.

**EXPRESS MAIL LABEL NO. EL863782844US**

Computer system 700 includes one or more processors, such as processor 704. One or more processors 704 execute software implementing the routines of the invention, described above. Each processor 704 is connected to a communication infrastructure 702 (e.g., a communications bus, cross-bar, or network). Various software embodiments are described in terms of this exemplary computer system. After reading this description, it will become apparent to a person skilled in the relevant art how to implement the invention using other computer systems and/or computer architectures.

Computer system 700 includes a display interface 708 that forwards graphics, text, and other data from the communication infrastructure 702 (or from a frame buffer not shown) for display on the display unit 710.

Computer system 700 also includes a main memory 706, preferably random access memory (RAM), and also includes a secondary memory 712. The secondary memory 712 includes, for example, a hard disk drive 714 and/or a removable storage drive 716, representing a floppy disk drive, a magnetic tape drive, an optical disk drive, etc. The removable storage drive 716 reads from and/or writes to a removable storage unit 718 in a well known manner. Removable storage unit 718 represents a floppy disk, magnetic tape, optical disk, etc., which is read by and written to by removable storage drive 716. As will be appreciated, the removable storage unit 718 includes a computer usable storage medium having stored therein computer software and/or data.

In alternative embodiments, secondary memory 712 includes other similar means for allowing computer programs or other instructions to be loaded into

computer system 700. Such means include, for example, a removable storage unit 722 and an interface 720. Examples include a program cartridge and cartridge interface (such as that found in video game console devices), a removable memory chip (such as an EPROM, or PROM) and associated socket, and other removable  
5 storage units 722 and interfaces 720 which allow software and data to be transferred from the removable storage unit 722 to computer system 700.

Computer system 700 also includes a communications interface 724. Communications interface 724 allows software and data to be transferred between computer system 700 and external devices via communications path 726. Examples  
10 of communications interface 724 include a modem, a network interface (such as Ethernet card), a communications port, interfaces described above, etc. Software and data transferred via communications interface 724 are in the form of signals which are electronic, electromagnetic, optical or other signals capable of being received by communications interface 724, via communications path 726. Note that  
15 communications interface 724 provides a means by which computer system 700 interfaces to a network such as the Internet.

The present invention is implemented using software running (that is, executing) in an environment similar to that described above. In this document, the term "computer program product" is used to generally refer to removable storage  
20 unit 718, a hard disk installed in hard disk drive 714, or a carrier wave carrying software over a communication path 726 (wireless link or cable) to communication interface 724. A computer useable medium includes magnetic media, optical media, or other recordable media, or media that transmits a carrier wave or other signal.

These computer program products are means for providing software to computer system 700.

Computer programs (also called computer control logic) are stored in main memory 706 and/or secondary memory 712. Computer programs are also received  
5 via communications interface 724. Such computer programs, when executed, enable the computer system 700 to perform the features of the present invention as discussed herein. In particular, the computer programs, when executed, enable the processor 704 to perform features of the present invention. Accordingly, such computer programs represent controllers of the computer system 700.

10 The present invention is implemented as control logic in software, firmware, hardware or any combination thereof. In an embodiment where the invention is implemented using software, the software is stored in a computer program product and loaded into computer system 700 using removable storage drive 706, hard disk drive 714, or interface 720. Alternatively, the computer program product is  
15 downloaded to computer system 700 over communications path 726. The control logic (software), when executed by the one or more processors 704, causes the processor(s) 704 to perform functions of the invention as described herein.

In another embodiment, the invention is implemented primarily in firmware and/or hardware using, for example, hardware components such as application  
20 specific integrated circuits (ASICs). Implementation of a hardware state machine so as to perform the functions described herein will be apparent to persons skilled in the relevant art(s) from the teachings herein.



7. Conclusion

While various embodiments of the present invention have been described above, it should be understood that they have been presented by way of example, and not limitation. It will be apparent to persons skilled in the relevant art(s) that various changes in form and detail are made therein without departing from the spirit and scope of the invention. Thus the present invention should not be limited by any of the above-described exemplary embodiments, but should be defined only in accordance with the following claims and their equivalents.

10

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000